


DOCK & LOCK[®] Systems

*Practical and Secure
Storage Solutions for
today's mobile
computing workforce.*

*Do you know
where your
laptops are?*



Your computers are locked
up, charged, network
connected and ready to go!

pssi[®]
Plug-In Storage[®] Systems, Inc.

Secure, powered and connected storage for laptop computers, electronic devices and other applications

BENEFITS

The PSSI Dock & Lock® System is a computer storage cabinet solution to lock up laptops and notebooks. For many organizations, Dock & Lock® cabinets are a part of their mobile computing strategy for secure storage, networking and recharging. Their computers are always ready when needed.

Efficiency = Savings

Dock & Lock® cabinets manage portable computers when not deployed. During this non-deployed time, computers are updated, activity data transferred, maintenance programs run and software updated. All this occurs while the battery is charging and the computer is locked up. The wait is over.

Consider the savings when your workers no longer have to wait for work assignments and critical downloads. Computers are ready to go at the start of every shift.

More Cost Effective

A pre-wired Dock & Lock® cabinet is more cost effective than providing individual cabling for AC power and network connections to each computer. The cabinets' sleek design maximize floor space.

Most Versatile

Dock & Lock® customers represent most every industry deploying mobile computing devices: communications, utilities, medical, insurance, manufacturing, administration, government, public safety, law enforcement and the military.

There is a Dock & Lock® cabinet available for your specific needs. Models are available for storing just a few computers, to high density laptop storage, even one you can fit under a desk.

Index



1623-L-5 [page 3](#)
1629-L-7



1652-L-10 [page 4-5](#)
1652-L-8
1652-L-6
1652-L-4
1652-S-10
1652-S-8



3252-L-20 [page 6-7](#)
3252-L-16
3252-S-20
3252-S-16



4852-L-30 [page 6-7](#)
4852-L-24
4852-S-30
4852-S-24



Additional PSSI Products [page 8](#)

Compact Dock & Lock® Cabinets for Under-Desk and Under-Counter

Dock & Lock® Security Cabinet models 1623-L-5 and 1629-L-7 are ideal for applications requiring secure and powered storage for just a few computers. These cabinets are designed for wireless sites, but can

accept network cabling. Because of their compact size, they are ideally suited for locations with limited space such as administrative offices, medical facilities, research centers and laboratories.

Model 1623-L-5, a 5-drawer, 23" high cabinet, ideally fits under a desk top.



Shown with DLW-3 option

Model 1629-L-7, a 7-drawer, 29" high cabinet, ideally fits under a counter top.



Cabinet Features

- Unique, patented, articulating cable management system to each drawer eliminates tight bending of cables that will degrade performance over time.
- An automatic, thermostatically controlled fan safeguards against heat build up, protecting the longevity and integrity of stored computers.
- Convective ventilation system promotes air circulation and dissipates heat even when the fan is idle.
- Independently locking drawers offer security. Individual key assignment promotes accountability. A master key is provided for management.
- Can be bolted to the desk, counter, floor or wall for added security.
- Equipped with a 125V/15A/60Hz Surge Suppression Power Supply. All electrical components are UL approved.
- Sturdy steel construction with durable beige powder paint finish. Multiple knockouts conveniently located for cabling access.
- Heavy-duty, full extension drawer slides with precision ball bearings.
- Sturdy, full width pull handles for easy drawer access.
- Cabinet arrives fully assembled, ready to use.

Options

- **Mobile DLW-3 Kit:** Heavy-duty, 3" (76mm) diameter swivel casters provide smooth transport and full maneuverability. Lockable front casters offer additional safety when loading and unloading or parking the cabinet. Mobile Kit adds 4" (102mm) to the overall cabinet height.
- **AC Kit:** AC power cords can be provided to each drawer. All electrical components are UL approved.



AC Cabling to each drawer

Custom Sizes or Modifications

PSSI will work with you to design a custom cabinet size, drawer size, combination of drawer sizes, cabinet color, network cabling, switch installation or other modifications to meet your specific needs, such as drawer viewing windows. See page 7.

Model Number	Description	Width		Height		Depth	
		in	mm	in	mm	in	mm
1623-L-5	5 Long Drawer Cabinet Each Long Drawer	16.00"	406mm	23.00"	584mm	25.00"	635mm
		13.75"	349mm	3.25"	83mm	20.25"	514mm
1629-L-7	7 Long Drawer Cabinet Each Long Drawer	16.00"	406mm	29.00"	737mm	25.00"	635mm
		13.75"	349mm	3.25"	83mm	20.25"	514mm
AC Kit	AC Power to each drawer						
DLW-3	Mobile Wheel Kit for Dock & Lock Series 1623 and 1629 (adds 4" [102mm] to cabinet height)						

1652-S & 1652-L

Versatile 4 to 10 drawer Dock & Lock® Cabinets

Dock & Lock® Series 1652 Security Cabinets are our most popular and versatile cabinets. These compact size cabinets are ideal in any business or industrial environment where computers need to be stored in a central location. Model 1525 Mobile Base Kit allows you to easily move the computers where you need them for daily use, then roll them back to their secure centralized location.

Series 1652 cabinets securely store, power and network connect laptops or notebooks, Handheld PCs, Pocket PCs, field test equipment, radios, PDAs and other energy dependent devices.

Model 1652-S cabinet dimensions are 16" W by 20" D by 52" H. Drawers measure 13.75" W by 14.75" D. Drawer heights measure 3.25" or 4.25".

Model 1652-L cabinet dimensions are 16" W by 25" D by 52" H. Drawers measure 13.75" W by 20.25" D. Drawer heights measure 3.25", 4.25", 5.75" and 8.75".

The 1652-L cabinet can be custom configured with a combination of mixed drawer heights.

Cabinet Features

- Unique, patented, articulating cable management system to each drawer eliminates tight bending of cables that will degrade performance over time.
- Two automatic, thermostatically controlled fans safeguard against heat build up, protecting the longevity and integrity of stored computers.
- Convective ventilation system promotes air circulation and dissipates heat even when the fans are idle.
- Independently locking drawers offer security. Individual key assignment promotes accountability. A master key is provided for management.
- Can be bolted to the floor or wall for added security.
- Base compartment to store your power, communication equipment and cabling interfaces.
- Equipped with a 125V/15A/60Hz Surge Suppression Power Supply. All electrical components are UL approved.
- Sturdy steel construction with durable beige powder paint finish. Multiple knockouts conveniently located for cabling access.
- Heavy-duty, full extension drawer slides with precision ball bearings.
- Sturdy, full width pull handles for easy drawer access.
- Cabinet arrives fully assembled, ready to use.



Model 1652-S-8 & Model 1652-S-10




Model 1652-L-6 & Model 1652-L-4



Articulating Cable Management System



Ventilation Systems



Base Compartment

Secure, Powered and Connected Storage for Laptops, Portable Computers, Radios, PDAs and other energy dependent devices

Options

- **Mobile Base Kit:** Model 1525 is a steel support base with four 4" (10.2cm) swivel casters (two are locking), adding 5"(12.7cm) to overall cabinet height. The kit also includes an 18' (549cm) retractable power cord, two ergonomically designed cabinet handles, one 14' (427cm) connecting communications cable.
- **AC Kit:** AC power cords can be provided to each drawer. All electrical components are UL approved.
- **Networking Kits:** Cat 5E or Cat 6 cabling can be pre-wired to each drawer. Complies with TIA/EIA 568-B Standards. Switches, routers or hubs can be installed in the cabinets' base compartments.



Model 1525
Mobile Base Kit



Network & AC Cabling
to each Drawer



Model 1652-L-10 with
Model 1525 Mobile Base Kit

Custom Sizes or Modifications

PSSI will work with you to design a custom cabinet size, drawer size, combination of drawer sizes, cabinet color, cabling configuration, switch installation or other modifications to meet your specific needs, such as drawer viewing windows. See page 7.



Model 1652-L
Mixed Drawer Cabinet

Model Number	Description	Width		Height		Depth	
		in	mm	in	mm	in	mm
1652-S-8	8 Short Drawer Cabinet Each Short Drawer	16.00'	406mm	52.00'	1321mm	20.00'	508mm
		13.75'	349mm	4.25'	108mm	14.75'	375mm
1652-S-10	10 Short Drawer Cabinet Each Short Drawer	16.00'	406mm	52.00'	1321mm	20.00'	508mm
		13.75'	349mm	3.25'	83mm	14.75'	375mm
1652-L-4	4 Long Drawer Cabinet Each Long Drawer	16.00'	406mm	52.00'	1321mm	25.00'	635mm
		13.75'	349mm	8.75'	222mm	20.25'	514mm
1652-L-6	6 Long Drawer Cabinet Each Long Drawer	16.00'	406mm	52.00'	1321mm	25.00'	635mm
		13.75'	349mm	5.75'	146mm	20.25'	514mm
1652-L-8	8 Long Drawer Cabinet Each Long Drawer	16.00'	406mm	52.00'	1321mm	25.00'	635mm
		13.75'	349mm	4.25'	108mm	20.25'	514mm
1652-L-10	10 Long Drawer Cabinet Each Long Drawer	16.00'	406mm	52.00'	1321mm	25.00'	635mm
		13.75'	349mm	3.25'	83mm	20.25'	514mm
AC Kit	AC Power to each drawer						
C5E Kit	Cat 5E wiring to each drawer						
C6 Kit	Cat 6 wiring to each drawer						
LAN5E Kit	Network wiring includes: switch, all CAT 5E cabling and connectors						
LAN6 Kit	Network wiring includes: switch, all CAT 6 cabling and connectors						
1525	Mobile base for Dock & Lock Series 1652 (adds 5" [127mm] to cabinet height)						

3252 & 4852

High Density Computer Storage Dock & Lock® Cabinets

Dock & Lock® Series 3252 and 4852 Laptop Security Cabinets are high density laptop storage cabinets. These Laptop Security Cabinets are ideal for locations that need to manage large numbers of computers, such as operations centers, maintenance dispatch centers, libraries, classrooms and training facilities.

Each laptop security cabinet has power for charging laptops, locking drawers and multiple thermostatically controlled fans for cooling. The laptop cabinet's large base compartment provides racks for mounting switches, routers or hubs, and still has plenty of room remaining for a UPS.

Model 3252-L-16



Model 3252-S laptop cabinets are available as 16 or 20 drawer units. Cabinet dimensions are 32" W by 20" D by 52" H. Drawers measure 13.75" W by 14.75" D. Drawer heights measure 3.25" and 4.25".

Model 3252-L laptop cabinets are available as 16 or 20 drawer units. Cabinet dimensions are 32" W by 25" D by 52" H. Drawers measure 13.75" W by 20.25" D. Drawer heights measure 3.25" and 4.25".

Model 4852-S laptop cabinets are available as 24 or 30 drawer units. Cabinet dimensions are 48" W by 20" D by 52" H. Drawers measure 13.75" W by 14.75" D. Drawer heights measure 3.25" and 4.25".

Model 4852-L laptop cabinets are available as 24 or 30 drawer units. Cabinet dimensions are 48" W by 25" D by 52" H. Drawers measure 13.75" W by 20.25" D. Drawer heights measure 3.25" and 4.25".



Model 4852-L-24


Ideal for maintenance dispatch centers, libraries, operations garages, classrooms and training facilities

Cabinet Features

- Unique, patented, articulating cable management system to each drawer eliminates tight bending of cables that will degrade performance over time.
- Three automatic, thermostatically controlled fans safeguard against heat build up, protecting the longevity and integrity of stored computers.
- Convective ventilation system promotes air circulation and dissipates heat even when the fans are idle.
- Independently locking drawers offer security. Individual key assignment promotes accountability. A master key is provided for management.
- Can be bolted to the floor or wall for added security.
- Base compartment to store your power, communication equipment and cabling interfaces.
- Equipped with a 125V/15A/60Hz Surge Suppression Power Supply. All electrical components are UL approved.
- Sturdy steel construction with durable beige powder paint finish. Multiple knockouts conveniently located for cabling access.
- Heavy-duty, full extension drawer slides with precision ball bearings.
- Sturdy, full width pull handles for easy drawer access.
- Cabinet arrives fully assembled, ready to use.



Articulating Cable Management System



Ventilation Systems



Base Compartment

Options

- AC Kit: AC power cords can be provided to each drawer. All electrical components are UL approved.
- Networking Kits: Cat 5E or Cat 6 cabling can be pre-wired to each drawer. Complies with TIA/EIA 568-B Standards. Switches, routers or hubs can be installed in the cabinets' base compartments.

Custom Sizes or Modifications

PSSI will work with you to design a custom cabinet size, drawer size, combination of drawer sizes, cabinet color, cabling configuration, switch installation or other modifications to meet your specific needs, such as drawer viewing windows.



Model Number	Description	Width		Height		Depth	
		in	mm	in	mm	in	mm
3252-S-16	16 Short Drawer Cabinet Each Short Drawer	32.00"	813mm	52.00"	1321mm	20.00"	508mm
		13.75"	349mm	4.25"	108mm	14.75"	375mm
3252-S-20	20 Short Drawer Cabinet Each Short Drawer	32.00"	813mm	52.00"	1321mm	20.00"	508mm
		13.75"	349mm	3.25"	83mm	14.75"	375mm
3252-L-16	16 Long Drawer Cabinet Each Long Drawer	32.00"	813mm	52.00"	1321mm	25.00"	635mm
		13.75"	349mm	4.25"	108mm	20.25"	514mm
3252-L-20	20 Long Drawer Cabinet Each Long Drawer	32.00"	813mm	52.00"	1321mm	25.00"	635mm
		13.75"	349mm	3.25"	83mm	20.25"	514mm
4852-S-24	24 Short Drawer Cabinet Each Short Drawer	48.00"	1220mm	52.00"	1321mm	20.00"	508mm
		13.75"	349mm	4.25"	108mm	14.75"	375mm
4852-S-30	30 Short Drawer Cabinet Each Short Drawer	48.00"	1220mm	52.00"	1321mm	20.00"	508mm
		13.75"	349mm	3.25"	83mm	14.75"	375mm
4852-L-24	24 Long Drawer Cabinet Each Long Drawer	48.00"	1220mm	52.00"	1321mm	25.00"	635mm
		13.75"	349mm	4.25"	108mm	20.25"	514mm
4852-L-30	30 Long Drawer Cabinet Each Long Drawer	48.00"	1220mm	52.00"	1321mm	25.00"	635mm
		13.75"	349mm	3.25"	83mm	20.25"	514mm
AC Kit	AC Power to each drawer						
C5E Kit	Cat 5E wiring to each drawer						
C6 Kit	Cat 6 wiring to each drawer						
LAN5E Kit	Network wiring includes: switch, all CAT 5E cabling and connectors						
LAN6 Kit	Network wiring includes: switch, all CAT 6 cabling and connectors						

Product Modifications

In our continual effort to improve products and systems, PSSI reserves the right to change or modify features and specifications without notice or obligation.

Customization

Custom sizes, colors and configurations are available. Please call for information.

Trademark

Dock & Lock is a registered Trademark of Plug-In Storage Systems, Inc.

Patents

PSSI Dock & Lock Security Cabinets are patented.

Warranty

Plug-In Storage Systems, Inc. (PSSI) makes the following warranties in lieu of all other warranties expressed or implied. Guarantees on all defects in parts and workmanship are as follows: 5 years / 100% on all cabinets. Manufacturers' warranty on all electrical and communications components.

Installation

PSSI offers inside delivery and installation by trained technicians.

Accepted




GSA

PSSI, A Veteran owned Small Business, approved Government Supplier under Contract # GS-27F-0424G



Additional PSSI Products:



70 Industry Drive, West Haven, CT 06516
Phone: (USA) 800-231-5952 • 203-937-0887
Fax: (USA) 800-532-2999 • 203-937-0918
E-mail: info@pluginstorage.com
Internet: www.pluginstorage.com